

10/750,073

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	"5833824"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 09:48
L2	2	"6353323"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 10:07
L3	22	"5350701"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 09:54
L4	15	"5319226"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 09:59
L5	5	"6236075"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 09:59
L6	0	(PH near sensor) and (read near out near circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 10:08
L7	0	(Ph near sensor) and (read near out near circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 10:08

10/750,073

L8	0	(ph near sensor) and (read near out near circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 10:09
L9	0	(pH near sensor) and (read near out near circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	NEAR	ON	2005/02/21 10:09
L10	3819	(pH near sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:09
L11	124	(pH near sensor) and circuit and (read with out)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:11
L12	0	(pH near sensor) and circuit and (read with out) multiplexer and buffer and amplifier	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:10
L13	0	(pH near sensor) and circuit and (read with out) and (rear with end with buffer)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:11
L14	53	(pH near sensor) and circuit and (read with out) and (amplifier with circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:12

10/750,073

L15	18	(pH near sensor) and circuit and (read with out) and (amplifier with circuit) and (buffer with circuit)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:17
L16	0	(pH near sensor) and circuit and (read with out) and (amplifier with circuit) and (buffer with circuit) and (rear with end)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:12
L17	16	"5110441"	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2005/02/21 10:17